



BLADE AND SPOON SPECIFICATIONS

BASE MATERIAL, LENGTH, WIDTH, HOLE SIZE, GAUGE

SPINNER BLADES

	00	0	1	1½	2	3	3½	4	4½	5	6	6½	7	8	9
Colorado															
Length	.445	.590	.690	.750	.890	1.010	1.110	1.215	1.310	1.385	1.530	-	1.790	1.990	-
Width	.365	.425	.525	.585	.680	.725	.815	.890	.965	1.080	1.180	-	1.330	1.400	-
Hole Size	.085	.085	.095	.100	.105	.110	.110	.125	.105	.115	.135	-	.135	.140	-
Gauge - Plain Brass	.018	.018	.018	.018	.018	.018	.018	.018	.018	.018	.018	-	.018	.018	-
Hammered Brass	.018	.018	.018	.018	.018	.018	.018	.018	.018	.018	.018	-	.018	.018	-
Plain Steel	.015	.015	.015	.015	.015	.018	.018	.018	.018	.018	.018	-	.018	.018	-
Hammered Steel	.018	.018	.018	.018	.018	.018	.018	.018	.018	.018	.018	-	.018	.018	-
Colorado Deep Cup															
Length	-	-	-	-	.895	1.010	1.110	1.215	-	1.370	1.540	-	1.800	2.990	-
Width	-	-	-	-	.680	.720	.830	.890	-	1.070	1.180	-	1.330	1.400	-
Hole Size	-	-	-	-	.110	.110	.120	.110	-	.125	.135	-	.140	.140	-
Gauge - Plain Brass	-	-	-	-	.018	.018	.018	.018	-	.018	.018	-	.018	.018	-
Hammered Brass	-	-	-	-	.018	.018	.018	.018	-	.018	.018	-	.018	.018	-
Plain Steel	-	-	-	-	.015	.015	.018	.018	-	.018	.018	-	.018	.018	-
Hammered Steel	-	-	-	-	.018	.018	.018	.018	-	.018	.018	-	.018	.018	-
Premium Colorado															
Length	-	-	-	-	1.010	1.155	-	1.305	-	1.470	1.650	-	-	-	-
Width	-	-	-	-	.735	.880	-	.960	-	1.120	1.285	-	-	-	-
Hole Size	-	-	-	-	.110	.105	-	.110	-	.150	.150	-	-	-	-
Gauge - Plain Brass	-	-	-	-	.020	.020	-	.020	-	.020	.020	-	-	-	-
Hammered Brass	-	-	-	-	.020	.020	-	.020	-	.020	.020	-	-	-	-
Willowleaf															
Length	-	-	.750	-	1.045	1.225	1.565	1.920	2.280	2.625	2.925	-	3.285	3.750	-
Width	-	-	.215	-	.305	.425	.535	.680	.820	.920	1.015	-	1.120	1.295	-
Hole Size	-	-	.075	-	.080	.090	.105	.140	.135	.160	.150	-	.150	.155	-
Gauge - Plain Brass	-	-	.018	-	.018	.018	.018	.018	.018	.020	.020	-	.020	.020	-
Hammered Brass	-	-	.018	-	.018	.018	.018	.018	.025	.025	.025	-	.025	.025	-
Plain Steel	-	-	.015	-	.018	.015	.018	.018	.018	.025	.025	-	.025	.025	-
Hammered Steel	-	-	.018	-	.018	.018	.018	.018	.018	.025	.025	-	.025	.025	-
Indiana															
Length	.455	.550	.730	-	.835	.985	-	1.145	-	1.275	1.540	-	1.715	2.100	2.670
Width	.290	.310	.440	-	.495	.590	-	.655	-	.705	.915	-	1.075	1.200	1.330
Hole Size	.075	.075	.090	-	.100	.095	-	.100	-	.115	.135	-	.135	.170	.155
Gauge - Plain Brass	.018	.018	.018	-	.018	.018	-	.018	-	.018	.018	-	.018	.018	.018
Hammered Brass	.018	.018	.018	-	.018	.018	-	.018	-	.018	.018	-	.018	.018	.018
Plain Steel	.015	.015	.015	-	.015	.018	-	.018	-	.018	.018	-	.018	.018	.018
Hammered Steel	.018	.018	.018	-	.018	.018	-	.018	-	.018	.018	-	.018	.018	.018
Magnum Willow															
Length	-	-	-	-	-	1.125	-	1.410	1.600	1.770	2.200	-	2.470	-	-
Width	-	-	-	-	-	.700	-	.870	.950	1.090	1.270	-	1.475	-	-
Hole Size	-	-	-	-	-	.110	-	.135	.135	.135	.135	-	.135	-	-
Gauge - Plain Brass	-	-	-	-	-	.020	-	.020	.020	.020	.020	-	.020	-	-
Hammered Brass	-	-	-	-	-	.020	-	.020	.020	.020	.025	-	.025	-	-
Magnum Indiana															
Length	-	-	-	-	-	-	-	1.145	-	1.275	1.540	-	1.715	2.100	2.670
Width	-	-	-	-	-	-	-	.655	-	.705	.915	-	1.075	1.200	1.330
Hole Size	-	-	-	-	-	-	-	.100	-	.115	.105	-	.135	.170	.155
Gauge - Plain Brass	-	-	-	-	-	-	-	.018	-	.018	.018	-	.018	.018	.018
Hammered Brass	-	-	-	-	-	-	-	.018	-	.018	.018	-	.018	.018	.018
In-Line															
Length	-	-	.750	-	.875	1.025	-	1.175	-	1.310	1.670	1.920	2.410	-	-
Width	-	-	.375	-	.445	.485	-	.570	-	.585	.785	.820	.990	-	-
Hole Size	-	-	.050	-	.065	.065	-	.065	-	.065	.070	.070	.085	-	-
Gauge - Plain Brass	-	-	.018	-	.018	.025	-	.025	-	.025	.032	.032	.032	-	-
Hammered Brass	-	-	.018	-	.018	.025	-	.025	-	.025	.032	.032	.032	-	-
Plain Steel	-	-	.018	-	.018	.025	-	.025	-	.025	.032	.032	.032	-	-
Hammered Steel	-	-	.018	-	.018	.025	-	.025	-	.025	.032	.032	.032	-	-
French															
Length	-	-	.750	-	.875	1.050	-	1.235	-	1.515	1.745	-	1.890	2.170	-
Width	-	-	.440	-	.485	.570	-	.690	-	.750	.830	-	.915	1.060	-
Hole Size	-	-	.090	-	.090	.090	-	.135	-	.125	.125	-	.125	.125	-
Gauge - Plain Brass	-	-	.018	-	.018	.018	-	.018	-	.018	.018	-	.020	.020	-
Hammered Brass	-	-	.018	-	.018	.018	-	.018	-	.018	.018	-	.020	.020	-
Plain Steel	-	-	.015	-	.015	.018	-	.018	-	.018	.018	-	.018	.018	-
Hammered Steel	-	-	.018	-	.018	.018	-	.018	-	.018	.018	-	.018	.018	-
Plain Brass - Heavy	-	-	.025	-	.025	.025	-	.025	-	.025	.025	-	.025	.025	-
Plain Brass - Heavy	-	-	.025	-	.025	.025	-	.025	-	.032	.032	-	.032	.032	-
Ham Brass - Heavy	-	-	.025	-	.025	.025	-	.025	-	.025	.025	-	.025	.025	-
Royal Willow															
Length	-	-	-	-	-	1.200	-	1.540	-	1.800	2.140	-	-	-	-
Width	-	-	-	-	-	.810	-	.980	-	1.150	1.300	-	-	-	-
Hole Size	-	-	-	-	-	.098	-	.098	-	.110	.110	-	-	-	-
Gauge - Plain Brass	-	-	-	-	-	.020	-	.020	-	.020	.020	-	-	-	-
Chopper															
Length	-	-	-	-	-	1.265	-	1.430	-	1.580	1.875	-	-	-	-
Width	-	-	-	-	-	.725	-	.875	-	1.055	1.185	-	-	-	-
Hole Size	-	-	-	-	-	.090	-	.090	-	.110	.125	-	-	-	-
Gauge - Plain Brass	-	-	-	-	-	.018	-	.018	-	.018	.018	-	-	-	-
Hammered Brass	-	-	-	-	-	.018	-	.018	-	.018	.018	-	-	-	-



BLADE AND SPOON SPECIFICATIONS

BASE MATERIAL, LENGTH, WIDTH, HOLE SIZE, GAUGE

MUSKY & PIKE

SPINNER BLADES

	3	4	4½	5	6	7	8	9	10	12
Colorado										
Length	-	-	-	-	1.530	1.790	1.990	-	-	-
Width	-	-	-	-	1.180	1.330	1.400	-	-	-
Hole Size	-	-	-	-	.120	.135	.125	-	-	-
Gauge - Plain Brass	-	-	-	-	.025	.025	.025	-	-	-
Plain Brass - Heavy	-	-	-	-	.040	.040	.040	-	-	-
Colorado Deep Cup										
Length	-	-	-	-	1.540	1.800	2.990	-	-	-
Width	-	-	-	-	1.180	1.330	1.400	-	-	-
Hole Size	-	-	-	-	.115	.140	.130	-	-	-
Gauge - Plain Brass	-	-	-	-	.025	.025	.025	-	-	-
Plain Brass - Heavy	-	-	-	-	.040	.040	.040	-	-	-
Willowleaf										
Length	-	1.920	2.280	2.625	2.925	3.285	3.750	-	-	-
Width	-	.680	.820	.920	1.015	1.120	1.295	-	-	-
Hole Size	-	.140	.135	.160	.150	.150	.155	-	-	-
Gauge - Plain Brass	-	.025	.025	.025	.025	.025	.025	-	-	-
Plain Brass - Heavy	-	.040	.040	.040	.040	.040	.040	-	-	-
Indiana										
Length	-	-	-	1.275	1.540	1.715	2.100	2.670	-	-
Width	-	-	-	.705	.915	1.075	1.200	1.330	-	-
Hole Size	-	-	-	.115	.105	.135	.170	.155	-	-
Gauge - Plain Brass	-	-	-	.025	.025	.025	.025	.025	-	-
Plain Brass - Heavy	-	-	-	.040	.040	.040	.040	.040	-	-
Oval Fluted Indiana										
Length	-	-	-	-	-	-	-	2.670	-	-
Width	-	-	-	-	-	-	-	1.330	-	-
Hole Size	-	-	-	-	-	-	-	.155	-	-
Gauge - Plain Brass	-	-	-	-	-	-	-	.025	-	-
Plain Brass - Heavy	-	-	-	-	-	-	-	.040	-	-
Magnum Willow										
Length	1.125	1.410	1.600	1.770	2.200	2.470	-	-	-	-
Width	.700	.870	.950	1.090	1.270	1.475	-	-	-	-
Hole Size	.110	.135	.135	.135	.135	.135	-	-	-	-
Gauge - Plain Brass - Hvy	.040	.040	.040	.040	.040	.040	-	-	-	-
Magnum Indiana										
Length	-	-	-	1.275	1.540	1.715	2.100	2.670	-	-
Width	-	-	-	.705	.915	1.075	1.200	1.330	-	-
Hole Size	-	-	-	.115	.105	.135	.170	.155	-	-
Gauge - Plain Brass - Hvy	-	-	-	.040	.040	.040	.040	.040	-	-
Magnum										
Length	-	-	-	-	-	-	2.135	2.585	2.875	3.250
Width	-	-	-	-	-	-	1.440	1.600	1.780	2.020
Hole Size	-	-	-	-	-	-	.150	.145	.140	.145
Gauge - Plain Brass	-	-	-	-	-	-	.025	.025	.025	.025
Hammered Brass	-	-	-	-	-	-	.025	.025	.025	.025
Plain Brass - Hvy	-	-	-	-	-	-	.040	.040	.040	.040
Magnum Willowleaf										
Length	-	-	-	-	-	-	-	-	4.600	-
Width	-	-	-	-	-	-	-	-	1.620	-
Hole Size	-	-	-	-	-	-	-	-	.190	-
Gauge - Plain Brass	-	-	-	-	-	-	-	-	.025	-
Plain Brass - Hvy	-	-	-	-	-	-	-	-	.040	-

TROLLING SPOONS

	N00	N0	N1	N2	N3	N4
Length	2.255	2.745	3.235	3.780	4.700	5.500
Width	.560	.685	.810	.935	1.170	1.525
Hole Size	.095	.105	.140	.140	.140	.140
Gauge - Plain Brass	.025	.025	.025	.025	.025	.025
Hammered Brass	.025	.025	.025	.025	.025	.025
Plain Steel	.025	.025	.025	.025	.025	.025
Hammered Steel	.025	.025	.025	.025	.025	.025
Plain Brass - Heavy	.050	.050	.050	.050	.050	.050
Ham. Brass - Heavy	.050	.050	.050	.050	.050	.050
Plain Brass - Hex Thin	.016	.016	.016	.016	.016	-

CASTING SPOONS

	D1	D1½	D2	D3	D4	D5	D6	C1	C2	C3
Length	1.310	1.510	1.920	2.190	2.825	3.570	4.510	1.400	1.750	1.875
Width	.520	.640	.820	.825	1.080	1.160	1.760	.850	1.015	1.090
Hole Size	.090	.115	.115	.110	.115	.135	.145	.125	.125	.130
Gauge - Plain Brass	.040	.050	.050	.050	.050	.050	.062	.072	.072	.072
Hammered Brass	.040	.050	.050	.050	.050	.050	.062	.072	.072	.072
Plain Steel	.040	.050	.050	.050	.050	.050	.062	.072	.072	.072
Hammered Steel	.040	.050	.050	.050	.050	.050	.062	.072	.072	.072
Plain Brass - Heavy	.072	.072	.072	.072	.072	.072	.072	-	-	-
Ham. Brass - Heavy	.072	.072	.072	.072	.072	.072	.072	-	-	-

ELITE

TROLLING SPOONS

	3-1/4	4-1/8
Length	3.285	4.130
Width	.763	.978
Gauge - Plain Brass	.025	.025

PREMIUM

WEEDLESS SPOONS

	1/8	1/4	1/2	3/4	1-1/8
Length	1.790	2.175	2.450	2.830	3.825
Width	.630	.720	.790	.905	1.225
Gauge - Plain Brass	.040	.040	.040	.040	.040

DIAMOND THUNDER

WILLOWLEAF SPINNER BLADES

	4½	5
Length	2.280	2.635
Width	.820	.920
Hole Size	.135	.160
Gauge - Plain Brass	.018	.020

DIAMOND THUNDER

TROLLING SPOONS

	N2	N3
Length	3.780	4.700
Width	.935	1.170
Hole Size	.140	.130
Gauge - Plain Brass	.025	.025

DIAMOND THUNDER

CASTING SPOONS

	D4	D5	D6
Length	2.825	3.570	4.510
Width	1.080	1.160	1.760
Hole Size	.115	.135	.145
Gauge - Plain Brass	.050	.050	.050



BLADE AND SPOON SPECIFICATIONS

BASE MATERIAL, LENGTH, WIDTH, HOLE SIZE, GAUGE

DODGER

	10	20	30
Length	5.345	6.670	7.910
Width	1.750	2.250	2.750
Hole Size	.190	.195	.190
Gauge - Plain Brass	.025	.025	.025

PRESTO BLADES

	Small	Large
Length	1.005	1.220
Width	.505	.650
Hole Size	.090	.100
Gauge - Plain Brass	.018	.018

WILLOWLEAF SPOONS

	1	2	3
Length	2.625	2.925	3.285
Width	.920	1.015	1.120
Hole Size	.160	.150	.150
Gauge - Plain Brass	.040	.040	.040
Hammered Brass	.040	.040	.040

TROLLING RUDDERS

	Small	Large
Length	2.320	3.060
Width	1.410	1.665
Hole Size	.150	.150
Gauge - Plain Brass	.025	.025

JIGGING SPOONS

	J00	J0	J1	J2	J3	J4
Length	2.325	2.600	1.520	1.840	1.470	2.560
Width	.525	.730	.390	.485	.670	.580
Hole Size	.075	.135	.095	.110	.110	.120
Gauge - Plain Brass	.050	.050	.050	.050	.072	.050
Hammered Brass	.050	.050	.050	.050	.072	.050

LURE FLIPPERS

	B	D
Length	.550	.685
Width	.300	.400
Hole Size	.080	.095
Gauge - Fluorescent Red Plastic	.018	.018
Plain Steel	.015	.015

DOC SHELTON TROLLS

	3	4	5	6	7	8
Length	1.035	1.185	1.570	1.950	2.465	2.940
Width	.460	.560	.710	.855	1.060	1.240
Hole Size	.115	.120	.115	.120	.140	.145
Gauge - Plain Brass	.025	.025	.025	.025	.025	.025
Hammered Brass	.025	.025	.025	.025	.025	.025

PROPELLER BLADES

	1	2	3	5
Length	.570	.700	.880	1.220
Width	.220	.250	.285	.500
Hole Size	.055	.080	.090	.085
Gauge - Plain Brass	.018	.018	.025	.025

ICE BLADES

	L2	L3	L4	L5	F1	F2	C0	C1	C2	C3
Length	.780	.540	.550	.410	.220	.250	.250	.275	.300	.375
Width	.150	.160	.160	.115	.220	.250	.070	.100	.140	.140
Hole Size	-	-	-	-	-	-	-	-	-	-
Gauge - Brass	.018	.018	.018	.018	.018	.018	.013	.013	.013	.013
	R2	M2	M3	M4	M5	M6	M7	M8		
Length	.250	.515	.520	.375	.310	.310	.400	.375		
Width	.250	.225	.225	.190	.180	.190	.220	.185		
Hole Size	-	-	-	-	-	-	-	.075		
Gauge - Brass	.018	.018	.018	.018	.018	.018	.018	.018		
	W1	W2	W3	WH1	WH2	WH3				
Length	.750	1.045	1.225	.750	1.045	1.225				
Width	.220	.305	.420	.220	.305	.420				
Hole Size	-	-	-	-	-	-				
Gauge - Brass	.018	.018	.018	.018	.018	.018				